



汇恒自制驱动
Huiheng self-made driver




非隔离低P电源 5W-24W
Non-isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHFC04W-CV50105-0048-L69A	220-240VAC	50-105VDC/48mA	0.5	5W	3C/CE
HHFC06W-CV6090-0066-L69A	220-240VAC	60-90VDC/66mA	0.5	6W	3C/CE
HHFC07W-CV3060-0120-L69A	220-240VAC	30-60VDC/120mA	0.5	7W	3C/CE
HHFC05W-CV60120-0042-L69A	220-240VAC	60-120VDC/42mA	0.5	5W	3C/CE
HHFC07W-CV60120-0060-L69A	220-240VAC	60-120VDC/60mA	0.5	7W	3C/CE
HHFC07W-CV40110-0065-L69A	220-240VAC	40-110VDC/65mA	0.5	7W	3C/CE
HHFC09W-CV60120-0080-L69A	220-240VAC	60-120VDC/80mA	0.5	9W	3C/CE
HHFC09W-CV3060-0150-L69A	220-240VAC	30-60VDC/150mA	0.5	9W	3C/CE
HHFC12W-CV60100-0120-L69A	220-240VAC	60-100VDC/120mA	0.5	12W	3C/CE
HHFC15W-CV70115-0130-L69A	220-240VAC	70-115VDC/130mA	0.5	15W	3C/CE
HHFC20W-CV80120-0150-L69A	220-240VAC	80-120VDC/150mA	0.5	20W	3C/CE
HHFC24W-CV90150-0150-L69A	220-240VAC	90-150VDC/150mA	0.5	22.5W	3C/CE


非隔离高P电源 15W-40W
Non-isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHFC15W-CV60115-0130-L69A	220-240VAC	60-115VDC/130mA	0.9	15W	3C/CE
HHFC18W-CV70120-0150-L69A	220-240VAC	70-120VDC/150mA	0.9	18W	3C/CE
HHFC25W-CV90135-0180-L69A	220-240VAC	90-135VDC/180mA	0.9	25W	3C/CE
HHFC25W-CV90190-0130-L69A	220-240VAC	90-190VDC/130mA	0.9	25W	3C/CE
HHFC25W-CV90165-0150-L69A	220-240VAC	90-165VDC/150mA	0.9	25W	3C/CE
HHFC30W-CV90190-0160-L69A	220-240VAC	90-190VDC/160mA	0.9	30W	3C/CE
HHFC35W-CV90190-0180-L69A	220-240VAC	90-190VDC/180mA	0.9	35W	3C/CE
HHFC35W-CV70115-0300-L69A	220-240VAC	70-115VDC/300mA	0.9	35W	3C/CE
HHFC35W-CV90175-0200-L69A	220-240VAC	90-175VDC/200mA	0.9	35W	3C/CE
HHFC40W-CV90165-0240-L69A	220-240VAC	90-165VDC/240mA	0.9	40W	3C/CE


非隔离低P电源 5W-24W
Non-isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHFC04W-CV50105-0048-L90A	220-240VAC	50-105VDC/48mA	0.5	5W	3C/CE
HHFC06W-CV6090-0066-L90A	220-240VAC	60-90VDC/66mA	0.5	6W	3C/CE
HHFC07W-CV3060-0120-L90A	220-240VAC	30-60VDC/120mA	0.5	7W	3C/CE
HHFC05W-CV60120-0042-L90A	220-240VAC	60-120VDC/42mA	0.5	5W	3C/CE
HHFC07W-CV60120-0060-L90A	220-240VAC	60-120VDC/60mA	0.5	7W	3C/CE
HHFC07W-CV40110-0065-L90A	220-240VAC	40-110VDC/65mA	0.5	7W	3C/CE
HHFC09W-CV60120-0080-L90A	220-240VAC	60-120VDC/80mA	0.5	9W	3C/CE
HHFC09W-CV3060-0150-L90A	220-240VAC	30-60VDC/150mA	0.5	9W	3C/CE
HHFC12W-CV60100-0120-L90A	220-240VAC	60-100VDC/120mA	0.5	12W	3C/CE
HHFC15W-CV70115-0130-L90A	220-240VAC	70-115VDC/130mA	0.5	15W	3C/CE
HHFC18W-CV80120-0150-L90A	220-240VAC	80-120VDC/150mA	0.5	18W	3C/CE
HHFC24W-CV90150-0150-L90A	220-240VAC	90-150VDC/150mA	0.5	22.5W	3C/CE


非隔离高P电源 15W-60W
Non-isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHFC15W-CV60115-0130-L90A	220-240VAC	60-115VDC/130mA	0.9	15W	3C/CE
HHFC18W-CV70120-0150-L90A	220-240VAC	70-120VDC/150mA	0.9	18W	3C/CE
HHFC18W-CV90270-0067-L90A	220-240VAC	90-270VDC/67mA	0.9	18W	3C/CE
HHFC18W-CV90290-0060-L90A	220-240VAC	90-290VDC/60mA	0.9	18W	3C/CE
HHFC18W-CV4878-0250-L90A	220-240VAC	48-78VDC/250mA	0.9	20W	3C/CE
HHFC26W-CV90270-0097-L90A	220-240VAC	90-270VDC/97mA	0.9	26W	3C/CE
HHFC25W-CV90135-0180-L90A	220-240VAC	90-135VDC/180mA	0.9	25W	3C/CE
HHFC25W-CV90165-0150-L90A	220-240VAC	90-165VDC/150mA	0.9	25W	3C/CE
HHFC25W-CV90190-0130-L90A	220-240VAC	90-190VDC/130mA	0.9	25W	3C/CE
HHFC30W-CV90190-0160-L90A	220-240VAC	90-190VDC/160mA	0.9	30W	3C/CE
HHFC35W-CV90190-0180-L90A	220-240VAC	90-190VDC/180mA	0.9	35W	3C/CE
HHFC35W-CV70115-0300-L90A	220-240VAC	70-115VDC/300mA	0.9	35W	3C/CE
HHFC35W-CV90175-0200-L90A	220-240VAC	90-175VDC/200mA	0.9	35W	3C/CE
HHFC40W-CV90165-0240-L90A	220-240VAC	90-165VDC/240mA	0.9	40W	3C/CE
HHFC60W-CV150200-0300-L90B	220-240VAC	150-200VDC/300mA	0.9	60W	3C/CE


隔离低P电源 5W-12W
Isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC05W-CV2550-0100-L69A	220-240VAC	25-50VDC/100mA	0.5	5W	3C/CE
HHGC07W-CV2542-0150-L69A	220-240VAC	25-42VDC/150mA	0.5	6.3W	3C/CE
HHGC09W-CV2542-0200-L69A	220-240VAC	25-42VDC/200mA	0.5	8.4W	3C/CE
HHGC10W-CV2542-0220-L69A	220-240VAC	25-42VDC/220mA	0.5	10W	3C/CE
HHGC12W-CV2542-0280-L69A	220-240VAC	25-42VDC/280mA	0.5	12W	3C/CE


隔离低P电源 5W-15W
Isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC05W-CV2550-0100-L90A	220-240VAC	25-50VDC/100mA	0.5	5W	3C/CE
HHGC07W-CV2542-0150-L90A	220-240VAC	25-42VDC/150mA	0.5	6.3W	3C/CE
HHGC09W-CV2542-0200-L90A	220-240VAC	25-42VDC/200mA	0.5	8.4W	3C/CE
HHGC10W-CV2542-0220-L90A	220-240VAC	25-42VDC/220mA	0.5	10W	3C/CE
HHGC12W-CV2542-0280-L90A	220-240VAC	25-42VDC/280mA	0.5	12W	3C/CE
HHGC15W-CV2542-0350-L90A	220-240VAC	25-42VDC/350mA	0.5	15W	3C/CE


隔离低P电源 15W-24W
Isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC15W-CV2542-0350-L105A	220-240VAC	25-42VDC/350mA	0.5	15W	3C/CE
HHGC16W-CV2542-0400-L105A	220-240VAC	25-42VDC/400mA	0.5	16.8W	3C/CE
HHGC18W-CV2542-0450-L105A	220-240VAC	25-42VDC/450mA	0.5	19W	3C/CE
HHGC20W-CV2542-0500-L105A	220-240VAC	25-42VDC/500mA	0.5	21W	3C/CE
HHGC24W-CV2540-0600-L105A	220-240VAC	25-40VDC/600mA	0.5	24W	3C/CE


隔离高P电源 5W-10W
Isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC05W-CV2550-0100-L90B	220-240VAC	25-50VDC/100mA	0.9	5W	3C/CE
HHGC07W-CV2542-0150-L90B	220-240VAC	25-42VDC/150mA	0.9	6.3W	3C/CE
HHGC09W-CV2542-0200-L90B	220-240VAC	25-42VDC/200mA	0.9	8.4W	3C/CE
HHGC10W-CV2542-0220-L90B	220-240VAC	25-42VDC/220mA	0.9	10W	3C/CE
HHGC12W-CV2542-0250-L90B	220-240VAC	25-42VDC/250mA	0.9	10.5W	3C/CE


隔离高P电源 12W-25W
Isolated LED driver



基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC12W-CV2542-0280-L105B	220-240VAC	25-42VDC/280mA	0.9	12W	3C/CE
HHGC15W-CV2542-0350-L105B	220-240VAC	25-42VDC/350mA	0.9	15W	3C/CE
HHGC16W-CV2542-0400-L105B	220-240VAC	25-42VDC/400mA	0.9	16.8W	3C/CE
HHGC18W-CV2542-0450-L105B	220-240VAC	25-42VDC/450mA	0.9	19W	3C/CE
HHGC20W-CV2542-0500-L105B	220-240VAC	25-42VDC/500mA	0.9	21W	3C/CE
HHGC25W-CV2542-0600-L105B	220-240VAC	25-42VDC/600mA	0.9	25.2W	3C/CE

隔离高P电源 25W-50W
Isolated LED driver




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC25W-CV2542-0600-L115A	220-240VAC	25-42VDC/600mA	0.9	25.2W	3C/CE
HHGC28W-CV2542-0700-L115A	220-240VAC	25-42VDC/700mA	0.9	29.4W	3C/CE
HHGC30W-CV2542-0750-L115A	220-240VAC	25-42VDC/750mA	0.9	31.5W	3C/CE
HHGC34W-CV2542-0800-L115A	220-240VAC	25-42VDC/800mA	0.9	33.6W	3C/CE
HHGC35W-CV2542-0850-L115A	220-240VAC	25-42VDC/850mA	0.9	35.7W	3C/CE
HHGC36W-CV2542-0900-L115A	220-240VAC	25-42VDC/900mA	0.9	37.8W	3C/CE
HHGC40W-CV2542-1000-L115A	220-240VAC	25-42VDC/1000mA	0.9	42W	3C/CE
HHGC45W-CV2542-1050-L115A	220-240VAC	25-42VDC/1050mA	0.9	44W	3C/CE
HHGC50W-CV2537-1200-L115A	220-240VAC	25-37VDC/1200mA	0.9	44.5W	3C/CE

隔离低P电源 5W-15W
Isolated LED driver




IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC05W-CV2542-0100-D42A	220-240VAC	25-42VDC/100mA	0.5	4.2W	3C/CE
HHGC07W-CV2542-0150-D42A	220-240VAC	25-42VDC/150mA	0.5	6.3W	3C/CE
HHGC09W-CV2542-0200-D42A	220-240VAC	25-42VDC/200mA	0.5	8.4W	3C/CE
HHGC10W-CV2542-0220-D42A	220-240VAC	25-42VDC/220mA	0.5	10W	3C/CE
HHGC12W-CV2542-0280-D42A	220-240VAC	25-42VDC/280mA	0.5	12W	3C/CE
HHGC15W-CV2542-0350-D42A	220-240VAC	25-42VDC/350mA	0.5	15W	3C/CE

隔离低P电源 15W-24W
Isolated LED driver



IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC15W-CV2542-0350-D55A	220-240VAC	25-42VDC/350mA	0.5	15W	3C/CE
HHGC16W-CV2542-0400-D55A	220-240VAC	25-42VDC/400mA	0.5	16.8W	3C/CE
HHGC18W-CV2542-0450-D55A	220-240VAC	25-42VDC/450mA	0.5	19W	3C/CE
HHGC20W-CV2542-0500-D55A	220-240VAC	25-42VDC/500mA	0.5	21W	3C/CE
HHGC24W-CV2540-0600-D55A	220-240VAC	25-40VDC/600mA	0.5	22.5W	3C/CE

隔离高P电源 25W-36W
Isolated LED driver




IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC25W-CV2542-0600-D65A	220-240VAC	25-42VDC/600mA	0.9	25.2W	3C/CE
HHGC30W-CV2542-0700-D65A	220-240VAC	25-42VDC/700mA	0.9	29.4W	3C/CE
HHGC30W-CV2542-0750-D65A	220-240VAC	25-42VDC/750mA	0.9	31.5W	3C/CE
HHGC32W-CV2542-0800-D65A	220-240VAC	25-42VDC/800mA	0.9	33.6W	3C/CE
HHGC35W-CV2542-0850-D65A	220-240VAC	25-42VDC/850mA	0.9	35.7W	3C/CE
HHGC40W-CV2540-0900-D65A	220-240VAC	25-40VDC/900mA	0.9	36W	3C/CE

隔离低P电源 5W-12W
Isolated LED driver



IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC05W-CV2542-0100-L40A	220-240VAC	25-42VDC/100mA	0.5	4.2W	3C/CE
HHGC07W-CV2542-0150-L40A	220-240VAC	25-42VDC/150mA	0.5	6.3W	3C/CE
HHGC09W-CV2542-0200-L40A	220-240VAC	25-42VDC/200mA	0.5	8.4W	3C/CE
HHGC12W-CV2542-0250-L40A	220-240VAC	25-42VDC/250mA	0.5	10.5W	3C/CE

隔离低P电源 15W-24W
Isolated LED driver



IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC15W-CV2542-0350-L58A	220-240VAC	25-42VDC/350mA	0.5	15W	3C/CE
HHGC16W-CV2542-0400-L58A	220-240VAC	25-42VDC/400mA	0.5	16.8W	3C/CE
HHGC18W-CV2542-0450-L58A	220-240VAC	25-42VDC/450mA	0.5	19W	3C/CE
HHGC20W-CV2542-0500-L58A	220-240VAC	25-42VDC/500mA	0.5	21W	3C/CE
HHGC24W-CV2540-0600-L58A	220-240VAC	25-40VDC/600mA	0.5	22.5W	3C/CE

隔离高P电源 25W-36W
Isolated LED driver




IP20



基本参数
Specification



型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC25W-CV2542-0600-L75A	220-240VAC	25-42VDC/600mA	0.9	25.2W	3C/CE
HHGC28W-CV2542-0700-L75A	220-240VAC	25-42VDC/700mA	0.9	29.4W	3C/CE
HHGC30W-CV2542-0750-L75A	220-240VAC	25-42VDC/750mA	0.9	31.5W	3C/CE
HHGC34W-CV2542-0800-L75A	220-240VAC	25-42VDC/800mA	0.9	33.6W	3C/CE
HHGC35W-CV2542-0850-L75A	220-240VAC	25-42VDC/850mA	0.9	35.7W	3C/CE
HHGC36W-CV2540-0900-L75A	220-240VAC	25-40VDC/900mA	0.9	36W	3C/CE

接入米家电源 7W-12W
Connected mijia driver





基本参数 Specification						
型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification	
HHGC12W-CV2542-0280-L90Z1	220-240VAC	25-42VDC/150/200/220/280mA	0.5	12W	3C/CE	
HHGC12W-CV2542-0280-L90Z	220-240VAC	25-42VDC/150/200/220/280mA	0.9	12W	3C/CE	

涂鸦智能电源 7W-12W
Toya Smart Driver Series





基本参数 Specification						
型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification	
HHGC12W-CV2542-0280-L90X1	220-240VAC	25-42VDC/150/200/220/280mA	0.5	12W	3C/CE	
HHGC12W-CV2542-0280-L90X	220-240VAC	25-42VDC/150/200/220/280mA	0.9	12W	3C/CE	

接入米家电源 15W-25W
Connected mijia driver




基本参数 Specification						
型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification	
HHGC25W-CV2542-0600-L105Z	220-240VAC	25-42VDC/350/450/500/600mA	0.9	25.2W	3C/CE	

涂鸦智能电源 15W-25W
Toya Smart Driver Series





基本参数 Specification						
型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification	
HHGC25W-CV2542-0600-L105X	220-240VAC	25-42VDC/350/450/500/600mA	0.9	25.2W	3C/CE	

接入米家电源 30W-36W
Connected mijia driver



基本参数 Specification						
型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification	
HHGC36W-CV2542-0900-L115Z	220-240VAC	25-42VDC/750/800/850/900mA	0.9	37.8W	3C/CE	

涂鸦智能电源 30W-36W
Toya Smart Driver Series




基本参数 Specification						
型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification	
HHGC36W-CV2542-0900-L115X	220-240VAC	25-42VDC/750/800/850/900mA	0.9	37.8W	3C/CE	

可控硅调光电源 5W-12W
Traic Dimmable Driver Series



IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC05W-CV2542-0100-L90K	220-240VAC	25-50VDC/100mA	0.9	5W	3C/CE
HHGC07W-CV2542-0150-L90K	220-240VAC	25-42VDC/150mA	0.9	6.3W	3C/CE
HHGC09W-CV2542-0200-L90K	220-240VAC	25-42VDC/200mA	0.9	8.4W	3C/CE
HHGC10W-CV2542-0220-L90K	220-240VAC	25-42VDC/220mA	0.9	10W	3C/CE
HHGC12W-CV2542-0250-L90K	220-240VAC	25-42VDC/250mA	0.9	10.5W	3C/CE
HHGC12W-CV2542-0280-L90K	220-240VAC	25-42VDC/280mA	0.9	12W	3C/CE

可控硅调光电源 15W-25W
Traic Dimmable Driver Series



IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC15W-CV2542-0350-L105K	220-240VAC	25-42VDC/350mA	0.9	15W	3C/CE
HHGC18W-CV2542-0450-L105K	220-240VAC	25-42VDC/450mA	0.9	19W	3C/CE
HHGC20W-CV2542-0500-L105K	220-240VAC	25-42VDC/500mA	0.9	21W	3C/CE
HHGC25W-CV2542-0600-L105K	220-240VAC	25-42VDC/600mA	0.9	25.2W	3C/CE

可控硅调光电源 28W-35W
Traic Dimmable Driver Series



IP20




基本参数
Specification

型号 Type	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC28W-CV2542-0700-L115K	220-240VAC	25-42VDC/700mA	0.9	29.4W	3C/CE
HHGC30W-CV2542-0750-L115K	220-240VAC	25-42VDC/750mA	0.9	31.5W	3C/CE
HHGC34W-CV2542-0800-L115K	220-240VAC	25-42VDC/800mA	0.9	33.6W	3C/CE
HHGC35W-CV2542-0850-L115K	220-240VAC	25-42VDC/850mA	0.9	35.7W	3C/CE

导轨电源-非隔离 10W-35W
Ultimate Adaptor & Nor-isolated Driver



IP20



基本参数
Specification


型号 Type	线数 Track Rail	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHFC10W-CV6080V-0125-L148LB	二线	220-240VAC	60-80VDC/125mA	0.5	10W	3C/CE
HHFC15W-CV90115V-0135-L148LB	二线	220-240VAC	90-115VDC/135mA	0.5	15W	3C/CE
HHFC20W-CV80120-0155-L148LB	二线	220-240VAC	80-120VDC/155mA	0.5	20W	3C/CE
HHFC24W-CV90118V-0190-L148LB	二线	220-240VAC	90-118VDC/190mA	0.5	22.5W	3C/CE
HHFC25W-CV90120V-0200-L148PB	二线	220-240VAC	90-120VDC/200mA	0.9	25W	3C/CE
HHFC30W-CV90190-0160A-L148PB	二线	220-240VAC	90-190VDC/160mA	0.9	30W	3C/CE
HHFC35W-CV140175V-0200-L148PB	二线	220-240VAC	140-175VDC/200mA	0.9	35W	3C/CE

HHFC10W-CV6080V-0125-L148LA	三线	220-240VAC	60-80VDC/125mA	0.5	10W	3C/CE
HHFC15W-CV90115V-0135-L148LA	三线	220-240VAC	90-115VDC/135mA	0.5	15W	3C/CE
HHFC20W-CV80120-0155-L148LA	三线	220-240VAC	80-120VDC/155mA	0.5	20W	3C/CE
HHFC24W-CV90118V-0190-L148LA	三线	220-240VAC	90-118VDC/190mA	0.5	22.5W	3C/CE
HHFC25W-CV90120V-0200-L148PA	三线	220-240VAC	90-120VDC/200mA	0.9	25W	3C/CE
HHFC30W-CV90190-0160A-L148PA	三线	220-240VAC	90-190VDC/160mA	0.9	30W	3C/CE
HHFC35W-CV140175V-0200-L148PA	三线	220-240VAC	140-175VDC/200mA	0.9	35W	3C/CE

导轨电源-隔离 10W-35W
Ultimate Adaptor & Isolated Driver



IP20



基本参数
Specification

型号 Type	线数 Track Rail	输入电压 Input	输出电压/电流 Output voltage/current	功率因数 PF	输出功率 Output Power	认证 Certification
HHGC10W-CV2542-0220-L148LB	二线	220-240VAC	25-42VDC/220mA	0.5	10W	3C/CE
HHGC15W-CV2542-0350-L148LB	二线	220-240VAC	25-42VDC/350mA	0.5	15W	3C/CE
HHGC20W-CV2542-0500-L148LB	二线	220-240VAC	25-42VDC/500mA	0.5	21W	3C/CE
HHGC24W-CV2540-0600-L148LB	二线	220-240VAC	25-42VDC/600mA	0.5	24W	3C/CE
HHGC25W-CV2542-0600-L148PB	二线	220-240VAC	25-42VDC/600mA	0.9	25.2W	3C/CE
HHGC30W-CV2542-0750-L148PB	二线	220-240VAC	25-42VDC/750mA	0.9	31.5W	3C/CE
HHGC35W-CV2542-0850-L148PB	二线	220-240VAC	25-42VDC/850mA	0.9	35.7W	3C/CE

HHGC10W-CV2542-0220-L148LA	三线	220-240VAC	25-42VDC/220mA	0.5	10W	3C/CE
HHGC15W-CV2542-0350-L148LA	三线	220-240VAC	25-42VDC/350mA	0.5	15W	3C/CE
HHGC20W-CV2542-0500-L148LA	三线	220-240VAC	25-42VDC/500mA	0.5	21W	3C/CE
HHGC24W-CV2540-0600-L148LA	三线	220-240VAC	25-42VDC/600mA	0.5	24W	3C/CE
HHGC25W-CV2542-0600-L148PA	三线	220-240VAC	25-42VDC/600mA	0.9	25.2W	3C/CE
HHGC30W-CV2542-0750-L148PA	三线	220-240VAC	25-42VDC/750mA	0.9	31.5W	3C/CE
HHGC35W-CV2542-0850-L148PA	三线	220-240VAC	25-42VDC/850mA	0.9	35.7W	3C/CE